


SOAP: One Clean Analysis of All Age-Based Scheduling Policies


Ziv Scully Mor Harchol-Balter Alan Scheller-Wolf


Carnegie Mellon University


























































$$T = T = response time$$



$$T = T = response time$$

Depends on scheduling policy



$$T = T = response time$$

Depends on scheduling policy

Goal: analyze *mean response time* **E**[*T*]

FCFS

E[*T*] known

FCFS

E[*T*] known

FCFS

priority classes

E[*T*] known

FCFS

priority classes

FB

E[*T*] known

FCFS

priority classes

FB

SRPT

E[*T*] known

FCFS (1930)

priority classes (1954)

E[*T*] known

FCFS (1930)

discrete FB

priority classes (1954)

E[*T*] known

E[*T*] unknown!

discrete FB

FCFS (1930)

priority classes (1954)



FCFS (1930)

SERPT

discrete FB

priority classes (1954)



E[*T*] known


E[*T*] unknown!


FCFS (1930)


priority classes (1954)

SERPT discrete FB


Gittins policy (optimal!)







Our contribution: analyze **E**[*T*] of *any* **SOAP** policy








Step 1: *unified framework* for defining scheduling policies





Step 1: *unified framework* for defining scheduling policies


Step 2: *universal analysis* of **E**[*T*]





Step 2: *universal analysis* of **E**[*T*]




























Common theme: a job's **rank** depends on its **age**















A *SOAP* policy is a *rank function* with one rule:




A *SOAP* policy is a *rank function* with one rule:


always serve the job of *minimum* **rank**





always serve the job of minimum rank


(break ties FCFS)














SOAP Policy: Discrete FB rank Preempt only at age checkpoints age

SOAP Policy: Discrete FB rank Preempt only at age checkpoints age











SOAP Policy: SERPT rank Job size distribution: $X = \begin{cases} 1 & \text{w.p. } \frac{1}{3} \\ 6 & \text{w.p. } \frac{1}{3} \\ 14 & \text{w.p. } \frac{1}{3} \end{cases}$


age















Two customer classes: humans and robots

Two customer classes: humans and robots



Humans

- nonpreemptible
- unknown size
- FCFS

Two customer classes: humans and robots




Humans

- nonpreemptible
- unknown size
- FCFS

Robots


- preemptible
- known size
- SRPT

Two customer classes: *humans* and *robots*



Humans


- nonpreemptible
- unknown size
- FCFS
- priority over most robots



Robots


- preemptible
- known size
- SRPT

Two customer classes: humans and robots




Humans


- nonpreemptible
- unknown size
- FCFS
- priority over most robots





Two customer classes: humans and robots




Two customer classes: humans and robots









Two Key Ideas








Problem: my nonmonotonicity




Problem: my nonmonotonicity **Solution**: *Pessimism Principle*










FCFS priority classes SRPT FB

```
FCFS
1930–1967 { priority classes
SRPT
               FB
               discrete FB
               SERPT
               Gittins policy (optimal!)
               mixture of policies
               many more...
```



1930–1967

FCFS priority classes **SRPT** FB discrete FB **SERPT** Gittins policy (optimal!) mixture of policies many more...



$$\mathbf{E}[T(x)] = \frac{\lambda \sum_{i=0}^{\infty} \mathbf{E}[X_i^{\text{old}}[r]^2]}{2(1 - \rho_0^{\text{old}}[r])(1 - \rho^{\text{new}}[r])} + \int_0^x \frac{1}{1 - \rho^{\text{new}}[r(a)]} da$$